

TALLAHASSEE/LEON COUNTY LAND ID PROJECT DOCUMENT SUMMARY

Project Name: Killeaun Lakes Haya Lot 1 Block A
PETS Activity Number: <u>LSP080003</u>
Project Type: Tupe'A'
Description: 14-09-43- A-0010
Submittal Date: Scan Date:
Approved Date: <u>6-20-08</u>
Status: Under Review Conditional Approved

TYPE "A" SITE PLAN

FOR


KILLEARN LAKES PLAZA, LOT 1, BLOCK A

SHEET INDEX


- **COVER & SITE DATA SHEET**
- 2.0 **EXISTING CONDITIONS MAP**
- DEMOLITION, SEDIMENTATION & EROSION CONTROL PLAN 3.0
- GEOMETRY PLAN
- 5.0 GRADING PLAN
- WATER & SEWER UTILITIES PLAN
- 7.0 LANDSCAPE PLAN
- IRRIGATION PLAN
- 9.0 CONTEXT AREA MAP
- 10.0 DETAILS

STORMWATER COMPLIANCE OFFICER:

Roger K. Hobbs, President & COO Twin Action Properties, Inc. 2915 Kerry Forest Pkwy., Suite 101 Tallahassee, FL 32309



VICINITY MAP



UTILITY SERVICE PROVIDERS

SEWER GAS

TALOUIN ELECTRIC COOPERATIVE TALQUIN ELECTRIC COOPERATIVE TALQUIN ELECTRIC COOPERATIVE CITY OF TALLAHASSEE

PROJECT NAME

PARENT SITE TAX ID #: SUBJECT SITE TAX ID # ADJACENT SITE TAX ID #

OWNER/DEVELOPER

MAINTENANCE ENTITY:

TOTAL SITE AREA ZONING PROPOSED DENSITY NUMBER OF PROPOSED UNITS BUILDING SETBACKS

PARKING SETBACKS (PER ZONING)

BUILDING HEIGHT

IMPERVIOUS AREA

BUILDINGS (2 STORIES: 4.617 SF TOTAL) GROUND FLOOR = 1,617 SF 2ND FLOOR = 2,999 SF VEHICULAR USE AREA SIDEWALKS AND MISC. TOTAL IMPERVIOUS AREA

PERVIOUS AREA

TOTAL SITE

PARKING SUMMARY STANDARD PARKING HANDICAP PARKING

BICYCLE PARKING

DEVELOPMENT SUMMARY IMPERVIOUS AREA

VUA 13,185 SF/5,000 SF = 3 LANDSCAPE ISLANDS

KILLEARN LAKES PLAZA

14-09-20-403-0000 14-09-43-A-0010

TWIN ACTION PROPERTIES, INC 2915 KERRY FOREST PARKWAY SUITE 101

TALLAHASSEE, FL 32309 TWIN ACTION PROPERTIES, INC.

2915 KERRY FOREST PARKWAY SUITE 101 TALLAHASSEE, FL 32309 (850)422-0040

26.896 SF (0.62 ACRES) 1.6 DU/ACRE REQUIRED

EXISTING 0 SF (0%)

1361 SF (5%) 0 SF (0%) 1361 SF (5%) EXISTING 25,535 SF (95%)

26.896 SF (100%) REQUIRED

REQUIRED

ALLOWABLE 20,255 SF (100%)

Paradigm Engineers & Consultants

1 (2 STORY BUILDING)

35' 35' MAX (2 STORIES)

PROPOSED 2 999 SE (11%)

13,185 SF (49%) 735 SF (3%) 16,919 SF (63%) PROPOSED 9,977 SF (37%) 26.896 SF (100%)

PROPOSED

PROPOSED

PROPOSED

MAY 2 1 2008


TYPE "A" SITE PLAN LEON COUNTY GROWTH MANAGEMENT APPROVAL


R. D. C.J. 15.A. 5/20/08


COVER & SITE DATA


PROJECT NO. 0034-03-0


1.0
























CONSTRUCTION SPECIFICATIONS FOR STRAW BALE DROP INLET STRUCTURE

- STRAW MALE DROP INLET STRUCTURE.


 IN MALES SHALE DE LITHER WIRE GOUD OR STRING-TED WITH THE BINDINGS ORIENTED ADDUING THE SIDES SHATHER THAN DIVER AND UNDER THE BROWNESS ORIENTED AND UNDER THE MALE SHATE SHATE DESCRIPTION AS IN SIDES AND UNDER THE MALE SHATE SHATE DESCRIPTION AS IN STRUCTURED.

 THE FIRST PRAMPIES SHALE BE ENTREMOED AND BACKFULLED. A TREMMING MALE BE EXCRAVED ADOUGH THE MET THE MOTHER OF AND ET ON MINDENT OF A ROPE OF THE MALE SHATE THE MALE SHATE SHATE SHATE OF THE MALE SHATE SHATE


STRAW BALE DROP INLET
STRUCTURE DETAIL
N.T.S.







STONE CONSTRUCTION ENTRANCE





ROOT BALL PLANTING PIT

PLANTING MIX


COMPACTED PLANTING MIX


SHRUB PLANTING DETAIL



NOTE: THE "CRITICAL PROTECTION ZONE" (CPZ) OF A TREE IS THE AREA LOCATED WITHIN A RADIAL DISTANCE EXTENDING OUT FROM THE CENTER POINT OF THE TREES TRUMK. THE RADIAL DISTANCE IS FIGURED USING 1LF FOR EVERY 1" OF THE TREES JOAMETER (DBH).

WOOD FENCE TREE PROTECTION BARRICADE







FRONT

1. MEALER CONTRIBUTE OF DESCRIPT IN CENTERINE OF DANOST TO DETERMINE SACKING FORTON GROUPS OF DANCE, BAS & SPACE IS 3, 198-1, 594-100 (8) 2. 198-1, 594-100 (8) 2. 198-1, 594-100 (8) 2. 198-1, 594-100 (8) 2. 198-1, 594-100 (8) 2. 198-100 (10-1) 2. 198-100 (10-

PROFILE

BICYCLE RACK DETAIL






DUMPSTER PAD SECTION A - A




STANDARD PAVEMENT SECTION






TYPE IV SILT FENCE NOTE: SILT FENCE TO BE CONSTRUCTED IN ACCORDANCE WITH FOOT INDEX 102.



MODIFIED TYPE "F" 18" CURB AND GUTTER DETAIL



DUMPSTER DETAIL

CERTIFICATE OF AUTHORIZATION NO. 25858 PROJECT NO. 0034-03-0 DATE 9-28-07 DRAWN BY ATS/PTC CHECKED BY

2915 KERRY FOREST PARKWAY SUITE 09TALLAHASSEE, FL 32309 (850) 422-0040

2424 - 3 MELCHEEK COURT TALLAHASSEE, FL 30308 TELEPHONE (850) 385-6708 FACSIMILE: (850) 504-6708

KILLEARN LAKES PLAZA LOT 1, BLOCK A

Paradigm Engineers & Consultants

10.0

DETAILS